




FIG. 2





IOCETT. IEECCE
















FIG. 4B




FIG. 4C




FIG. 4D




FIG. 5A




FIG. 5B






FIG. 6











FIG. 8














FIG. 11



## FIG. 12







and that they have been and "H" and 18 -18 -18 -18 -18 -18 -18 -18 -18

TEMPERATURE RISE B SEQUENCE OF DUAL BATH TYPE LIQUID PHASE GROWTH APPARATUS (A:1ST BATCH B:2ND BATCH) 110 SOURCE SUPPLY 20 9 8 Temperature Rise 30 හි TEMPERATURE RISE A ಜ 8 LOADING 2 **ANNEALING 10** 20 8 Ø 3 LOADING 20 20 2 HYDROGEN ANNEALING TIME (min)

TEMPERATURE RISE 230 **UNLOADING 5** SOURCE SUPPLY 20 190 200 210 220 RETAINING GROWTH 30 UNLOADÍNG 5 COOLING 55 GROWTH Ω 130 140 150 160 170  $\mathbf{\omega}$ -ANNEALING 10 RETAINING 10 COOLING 55 Þ GROWTH × TEMPERATURE RETAINING RISE GROWTH 30 SOURCE SUPPLY 20 RETAINING 10 SOURCE SUPPLY 20 TEMPERATURE RISE 30 Epi (n⁺LAYER) Epi (p<sup>-</sup>LAYER)

15 / 18

FIG. 16





FIG. 17



MODELING ARROLL



FIG. 18B




FIG. 18C




FIG. 19

